



COMFORT 18



Twin track sliding doors with bottom carriage system





CHARACTERISTICS

► Application	Sliding doors
► Track	Twin
► Carriage system	Bottom
► Top guide	Ball bearing carriage
► Bottom guide	Ball bearing carriage (load bearing)
► Construction	Board
► Filling	18 mm MFC or 12 mm + 4 mm mirror
► Max. door load	50 kg
► Max. handle length	2700 mm
► Max. track length	6000 mm
► Textile door stops	Yes
► Anti-dust brushes	Yes
► Sales programme	Components can be purchased separately
► Decorative profile programme	DECOR

USAGE

- Built-in furniture, walk-in wardrobes, wardrobes, attics





Handle **COMFORT 16 II****1a**


CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02718	SILVER	2700	20	item	
02717	LIGHT BROWN	2700	20	item	

Handle **COMFORT 18 II****1b**



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02723	SILVER	2700	20	item	
02721	LIGHT BROWN	2700	20	item	

Handle **MINICOMFORT II****1c**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02742	SILVER	2700	20	item	
02740	LIGHT BROWN	2700	20	item	

Handle **UNICOMFORT II****1d**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02728	SILVER	2700	20	item	
02726	LIGHT BROWN	2700	20	item	


Top track **COMFORT-Decor****DECOR****2**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02834	SILVER	1700	12	item	
02829	LIGHT BROWN	1700	12	item	
02835	SILVER	2350	12	item	
02830	LIGHT BROWN	2350	12	item	
02836	SILVER	3000	12	item	
02831	LIGHT BROWN	3000	12	item	
02837	SILVER	4050	12	item	
02832	LIGHT BROWN	4050	12	item	
02838	SILVER	6000	12	item	
02833	LIGHT BROWN	6000	12	item	



Bottom track **COMFORT****3a**


CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00883	SILVER	1700	12	item	
00873	LIGHT BROWN	1700	12	item	
00884	SILVER	2350	12	item	
00875	LIGHT BROWN	2350	12	item	
00885	SILVER	3000	12	item	
00876	LIGHT BROWN	3000	12	item	
01495	SILVER	4050	12	item	
01494	LIGHT BROWN	4050	12	item	
02706	SILVER	6000	12	item	
02705	LIGHT BROWN	6000	12	item	

Bottom track
DOUBLER II-Decor**3b**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02849	SILVER	1700	12	item	
02844	LIGHT BROWN	1700	12	item	
02850	SILVER	2350	12	item	
02845	LIGHT BROWN	2350	12	item	
02851	SILVER	3000	12	item	
02846	LIGHT BROWN	3000	12	item	
02852	SILVER	4050	12	item	
02847	LIGHT BROWN	4050	12	item	
02853	SILVER	6000	12	item	
02848	LIGHT BROWN	6000	12	item	

Covering strip for bottom track
DOUBLER II-Decor**3b +**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02864	SILVER	1700	24	item	
02859	LIGHT BROWN	1700	24	item	
02865	SILVER	2350	24	item	
02860	LIGHT BROWN	2350	24	item	
02866	SILVER	3000	24	item	
02861	LIGHT BROWN	3000	24	item	
02867	SILVER	4050	24	item	
02862	LIGHT BROWN	4050	24	item	
02868	SILVER	6000	24	item	
02863	LIGHT BROWN	6000	24	item	

Bottom mounting track
COMFORT**3c**


i For use with track HIDE M

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
50430	RAW	3000	12	item	
50428	RAW	6000	12	item	



Bottom track **HIDE M****3d**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01978	SILVER	1700	60	item	
01990	LIGHT BROWN	1700	60	item	
01979	SILVER	2350	60	item	
01991	LIGHT BROWN	2350	60	item	
01980	SILVER	3000	60	item	
01992	LIGHT BROWN	3000	60	item	
02676	SILVER	6000	60	item	
02677	LIGHT BROWN	6000	60	item	

Top carriage positioner **FIX****4a**

i Recommended screw: Unix 3x13 (code 20096)

CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20326	10	item	


Stopper for bottom carriage
HI-TEC**4b**

CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20080	100	item	

Guiding carriage **COMFORT****5**

i Set includes 2 carriages

CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10203	50	set	



Soft-close

SEVROMATIC SV-25 & SV-50

i Set includes 2 soft-closers (1 left and 1 right), and includes activators + screws

CODE	WEIGHT LIMIT	TYPE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20139-SV	25 kg	LEFT + RIGHT	24	set	
20200-SV	50 kg	LEFT + RIGHT	24	set	

Individual soft-closers

i Includes one activator and screws

CODE	WEIGHT LIMIT	TYPE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20137-SV	25 kg	RIGHT	20	item	
20138-SV	25 kg	LEFT	20	item	
20197-SV	50 kg	RIGHT	20	item	
20196-SV	50 kg	LEFT	20	item	





Soft-close SEVROMATIC MINI SV-25, SV-40 & SV-60



i Set includes 2 soft-closers and includes activators + screws

CODE	WEIGHT LIMIT	TYPE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20368-SV	25 kg	UNIVERSAL	24	set	
20258-SV	40 kg	UNIVERSAL	24	set	
20339-SV	60 kg	UNIVERSAL	24	set	

Individual soft-closers

i Additionally, you must order a set of activators code 20265-SV.
Soft-close MINI fits left and right sides

CODE	WEIGHT LIMIT	TYPE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20359-SV	25 kg	UNIVERSAL	100	item	
20260-SV	40 kg	UNIVERSAL	100	item	
20336-SV	60 kg	UNIVERSAL	100	item	



Soft-close SEVROMATIC TOP SV-60 & SV-80



i Set includes 2 soft-closers and includes activators + screws.
Soft-close TOP fits left and right sides

CODE	WEIGHT LIMIT	TYPE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20259-SV	60 kg	UNIVERSAL	24	set	
20267-SV	80 kg	UNIVERSAL	24	set	



Soft-Close SEVROMATIC CENTRAL SV-25 i SV-40



i Set includes 1 soft-close and includes activators + screws.

CODE	WEIGHT LIMIT	TYPE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20363-SV	25 kg	CENTRAL	24	set	
20319-SV	40 kg	CENTRAL	24	set	



Soft-close activator „10” & „18” MINI / „10” TOP



i Set includes 3 activators of different heights to choose from and a set of screws

CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20265-SV	GREY	24	set	

Bottom carriage WD 18C HI-TEC



i Set includes 2 carriages

CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10198	50	set	

6a

Bottom carriage
WD 18V HI-TEC

6b

**i** Set includes 2 carriages and stopper HI-TEC


CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10197	50	set	

Angle section **MINI 11x17**

7a



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00102	SILVER	1700	120	item	
00093	LIGHT BROWN	1700	120	item	
00103	SILVER	2350	120	item	
00094	LIGHT BROWN	2350	120	item	
00104	SILVER	3000	120	item	
00095	LIGHT BROWN	3000	120	item	

Angle section **ZW 20x18**

7b




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00058	SILVER	1700	60	item	
00052	LIGHT BROWN	1700	60	item	
00059	SILVER	2350	60	item	
00053	LIGHT BROWN	2350	60	item	
00060	SILVER	3000	60	item	
00054	LIGHT BROWN	3000	60	item	

Angle section **K2-Decor**


7c

**DECOR**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00078	SILVER	1700	60	item	
00069	LIGHT BROWN	1700	60	item	
00079	SILVER	2350	60	item	
00070	LIGHT BROWN	2350	60	item	
00080	SILVER	3000	60	item	
00071	LIGHT BROWN	3000	60	item	


T-profile **04-Decor****DECOR**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00691	SILVER	3000	60	item	
00688	LIGHT BROWN	3000	60	item	




T-profile **18-Decor****DECOR**


CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01373	SILVER	3000	60	item	
01370	LIGHT BROWN	3000	60	item	

T-profile **ZW**


CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00706	SILVER	3000	60	item	
00703	LIGHT BROWN	3000	60	item	

H-profile **H08/16**


CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
03935	SILVER	3000	60	item	
03934	LIGHT BROWN	3000	60	item	

H-profile **H08/18**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00199	SILVER	3000	60	item	
01877	LIGHT BROWN	3000	60	item	


H-profile **H04/18**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01710	SILVER	3000	60	item	
01711	LIGHT BROWN	3000	60	item	





H-profile **H16-Decor****DECOR**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
03937	SILVER	3000	60	item	
03936	LIGHT BROWN	3000	60	item	






H-profile **H18-Decor****DECOR**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00215	SILVER	3000	60	item	
00212	LIGHT BROWN	3000	60	item	


**TEXTILE DOOR STOP**

i Our full offer can be found in the "Profiles and furniture accessories" section

CODE	NAME	A (mm)	B (mm)	INSTALLATION	ROLL LENGTH	COLLECTIVE PACKAGING	PRICED PER
20020-SV	TEXTILE DOOR STOP	4.8	4	INSERTED	550 r.m.	4 rolls	running M
20225-SV	TEXTILE DOOR STOP	4.8	4	INSERTED	100 r.m.	10 rolls	roll
20024-SV	ANTI-DUST BRUSH	4.8	13	INSERTED	200 r.m.	4 rolls	running M
20226-SV	ANTI-DUST BRUSH	4.8	13	INSERTED	50 r.m.	10 rolls	roll
20027-SV	ANTI-DUST BRUSH	6.7	13	SELF-ADHESIVE	200 r.m.	3 rolls	running M
20227-SV	ANTI-DUST BRUSH	6.7	13	SELF-ADHESIVE	50 r.m.	12 rolls	roll

Handle **MINICOMFORT II**Handle **COMFORT 16 II**Handle **COMFORT 18 II**Handle **UNICOMFORT II**Screws **SMART & UNIX**

CODE	NAME	DIMENSIONS (mm)	PRICED PER	COLLECTIVE PACKAGING	NET PRICE
20041	SCREW SMART	2.5 x 18	100 pcs	100 packs	
20092	SCREW SMART	2.5 x 25	100 pcs	100 packs	
20107	COUNTERSUNK SCREW UNIX	3 x 13	100 pcs	20 packs	




COMPONENTS

Handle Comfort II textile door stop (inserted) 4.8 mm x 4 mm anti-dust brush (self-adhesive) 6.7 mm x 13 mm #16 i #18 Length 2.7 m	Top track Comfort Decor Length 1.7 m, 2.35 m, 3.0 m, 4.05 m, 6.0 m	Bottom track Comfort Length 1.7 m, 2.35 m, 3.0 m, 4.05 m, 6.0 m
Giding carriage Comfort WPCm-Duo	Angle section ZW 20 mm x 18 mm Length 1.7 m, 2.35 m, 3.0 m	Bottom carriage WD 18 C HI-TEC



Dimensions of opening





Handle length = door height

door height	- h	$h = H - 42 \text{ mm}$
door wing height with soft-close fitted	Mini SV25/40/60, SV-25/50	$h = H - 42 \text{ mm}$
	Top SV60/80, Central SV25/40	$h = H - 44 \text{ mm}$
board height	- hb	$hb = h - 2 \text{ mm}$
door width	- w	$w = (W - 3 \text{ mm} + Z) : N$
board width	#18 - wb	$wb = w - 7 \text{ mm}$
board width	#12 - wb _m	$wb_m = w - 7 \text{ mm}$
angle section length	- la	this size is determined after door construction

number of doors	- N	2	3	4	5
total overlap	- Z	35 mm	70 mm	105 mm	140 mm

visual design – 4 wings	
	$w = (W - 3 + 105) : 4$
	$w = (W : 2 + 32) : 2$




mirror dimensions

mirror height	- hm = hb - 4 mm
mirror width	- wm = wb _m - 34 mm


ATTENTION:
board to mirror contact area
should be free from dirt
and grase before applying
double-sided tape

Broken line indicates recommended
positioning of double-sided tape




- When fitting handle profiles, do not use assembly adhesive
- The handle should be fixed to board with fastening screws on the inner door face



Installation method for handle and guiding carriage with # 18 mm board (handle Comfort # 18 mm)



Installation method for handle and guiding carriage with # 12 mm board + # 4 mm mirror (handle Comfort # 16 mm)



Installation method for angle section 20 mm x 18 mm



ATTENTION!

Angle section must be fastened to board with minimum 3 screws Ø 3 x 25.

ATTENTION!


Handle profile should be 2 mm longer than board height.

WARNING


SEVROLL does not bear any responsibility for deformation resulting from the application of improper quality of boards (improper storage, improper humidity)

ATTENTION!




Remove protective film from aluminium elements (handles, tracks, connectors, etc.) prior to cutting them to the desired size. Film removal will reveal quality issues (eg. scratches)



COMPONENTS




With Minicomfort set you may use bottom track **Doubler II** with covering strip along with bottom carriage WD18V HI-TEC. Fitting measurements are not affected.





Dimensions of opening




Handle length = door height

door height	- h	$h = H - 42 \text{ mm}$	
door wing height with soft-close fitted	Mini SV25/40/60, SV-25/50	$h = H - 42 \text{ mm}$	
	Top SV60/80, Central SV25/40	$h = H - 44 \text{ mm}$	
board height	- hb	$hb = h - 2 \text{ mm}$	
door width	- w	$w = (W - 3 \text{ mm} + Z) : N$	
board width #18	- wb	$wb = w - 7 \text{ mm}$	
angle section length	- la	this size is determined after door construction	

number of doors	- N	2	3	4	5
total overlap	- Z	20 mm	40 mm	60 mm	80 mm


visual design – 4 wings	
	$w = (W - 3 + 60) : 4$
	$w = (W : 2 + 17) : 2$

**ATTENTION!**


Handle profile should be 2 mm longer than board height.

- When fitting handle profiles, do not use assembly adhesive

Installation method for handle and guiding carriage with # 18 mm board (handle Comfort # 18 mm)




Installation method for angle section Mini 11 mm x 17 mm

**WARNING**


SEVROLL does not bear any responsibility for deformation resulting from the application of improper quality of boards (improper storage, improper humidity)

ATTENTION!


Remove protective film from aluminium elements (handles, tracks, connectors, etc.) prior to cutting them to the desired size. Film removal will reveal quality issues (eg. scratches)




COMPONENTS



With **Unicomfort** set you may use bottom track ***Doubler II with covering strip*** along with bottom carriage WD18V HI-TEC. **Fitting measurements are not affected.**




Stopper
HI-TEC





Dimensions of opening




Handle length = door height

door height	- h	$h = H - 42 \text{ mm}$	
door wing height with soft-close fitted	Mini SV25/40/60, SV-25/50	$h = H - 42 \text{ mm}$	
	Top SV60/80, Central SV25/40	$h = H - 44 \text{ mm}$	
board height	- hb	$hb = h - 2 \text{ mm}$	
door width	- w	$w = (W - 3 \text{ mm} + Z) : N$	
board width	#18 - wb	$wb = w - 40 \text{ mm}$	
board width	#12 - wb_m	$wb_m = w - 7 \text{ mm}$	
angle section length	- la	this size is determined after door construction	

number of doors	- N	2	3	4	5
total overlap	- Z	35 mm	70 mm	105 mm	140 mm

visual design – 4 wings

	$w = (W - 3 + 105) : 4$
	$w = (W : 2 + 32) : 2$




mirror dimensions

mirror height	- $hm = hb - 4 \text{ mm}$
mirror width	- $w_m = wb_m - 36 \text{ mm}$


ATTENTION:
board to mirror contact area
should be free from dirt
and grase before applying
double-sided tape

Broken line indicates recommended
positioning of double-sided tape




- When fitting handle profiles, do not use assembly adhesive
- The handle should be fixed to board with fastening screws on the inner door face


Installation method for handle and guiding carriage with # 18 mm board



Installation method for handle and guiding carriage with # 12 mm board + # 4 mm mirror



Installation method for angle section ZW (20 mm x 18 mm)

**ATTENTION!**

Angle section must be fastened to board with minimum 3 screws $\varnothing 3 \times 25$.

ATTENTION!

Handle profile should be 2 mm longer than board height.

WARNING

SEVROLL does not bear any responsibility for deformation resulting from the application of improper quality of boards (improper storage, improper humidity)

ATTENTION!

Remove protective film from aluminium elements (handles, tracks, connectors, etc.) prior to cutting them to the desired size. Film removal will reveal quality issues (eg. scratches)